# Aspartame-Acesulfame Salt (E962)

*Aspartame-acesulfame salt · CAS 106372-55-8 · 1:1 salt of aspartame and acesulfame*

**SPECIMEN — LIMITS ONLY · BATCH RESULTS ISSUED WITH THE LOT**

| PRODUCT | IDENTITY / FORM | CAS | SPECIFICATION VERSION |
|---|---|---|---|
| Aspartame-Acesulfame Salt (E962) | 1:1 salt of aspartame and acesulfame | 106372-55-8 | Catalog · confirmed at quotation |
| **BATCH NUMBER** | **MANUFACTURE DATE** | **RETEST DATE** | **RELEASE DECISION** |
| Issued with the lot | Issued with the lot | Issued with the lot | Issued with the lot |

## RELEASE SPECIFICATION

| PARAMETER | SPECIFICATION | METHOD |
|---|---|---|
| Aspartame | 53.0–57.0% (HPLC) | As stated |
| Acesulfame | 38.0–42.0% (HPLC) | As stated |
| Appearance | White crystalline powder | As stated |
| Moisture | ≤2.0% | As stated |
| pH (1% solution) | 3.0–5.0 | As stated |
| Solubility | Sparingly soluble in water; solubility increases at lower pH | As stated |
| Particle size | ≥95% through 80 mesh | As stated |
| Bulk density | 0.30–0.60 g/mL | As stated |
| Heavy metals | Pb ≤0.5 · As ≤0.5 · Cd ≤0.5 · Hg ≤0.1 mg/kg | As stated |
| Microbiology | APC ≤1,000 cfu/g · yeast and mould ≤100 cfu/g · E. coli and Salmonella absent | As stated |
| Marker / profile | Aspartame and acesulfame in a 1:1 salt | Identity |
| Solubility | Sparingly soluble in water; more soluble at lower pH. | Matrix dependent |

## LOT FIELDS

A batch-specific certificate replaces the fields above with the measured result, the method actually used, the batch number, the manufacture and retest dates, and the release signature. The catalog limits on this page are the release window, not a result.

## STATEMENT

This specimen shows the format and the release specification. It is not a batch COA and must not be presented as one. The COA that ships with a lot is issued from the released batch and is available before dispatch.

**Pack and storage.** 1 kg foil pouch · 25 kg fiber drum. Store closed in a cool, dry place, away from direct sunlight and moisture. The lot-specific retest date is shown on the batch certificate.